Bibliography: Critical Care Clinical Publications

1. Achamallah N, Fried J, Love R, Matusov Y, Sharma R: Pupillary Light Reflex Is Not Abolished by Epinephrine and Atropine Given During Advanced Cardiac Life Support in Patients Who Achieve Return of Spontaneous Circulation. Journal of Intensive Care Medicine, April 2021.
2. Al-Obaidi SZ, Atem FD, Stutzman SE, Olson DM: Impact of increased intracranial pressure on pupillometry: a replication study. Critical Care Explorations: October 2019, Volume 1, Issue 10, p e0054. DOI: 10.1097/CCE.0000000000000054
3. Al-Obaidi SZ, Atem FD, Stutzman SE, Aiyagari V, Olson DM: Investigating the association between eye colour and the Neurological Pupil index. Australian Critical Care: October 2019, https://doi.org/10.1016/j.aucc.2019.10.001
4. American College of Surgeons. Best Practice Guidelines for Management of Traumatic Brain Injury. 2024. https://www.facs.org/media/vgfgjpfk/best-practices-guidelines-traumatic-brain-injury.pdf
5. Anderson M, Elmer J, Shutter L, Puccio A, Alexander S: Integrating quantitative pupillometry into regular care in a neurotrauma intensive care unit. Journal of Neuroscience Nursing, 50(1): 30-36, 2018. DOI: 10.1097/JNN.0000000000000333.
6. Aoun SG, et al.: Detection of delayed cerebral ischemia using objective pupillometry in patients with aneurysmal subarachnoid hemorrhage. Journal of neurosurgery, 1: 1-6, 2019.
7. Aoun SG, et al.: Objective pupillometry as an adjunct to prediction and assessment for oculomotor nerve injury and recovery: Potential for practical applications. World neurosurgery, 121: e475-e480, 2019.
8. Bader MK: Gizmos and gadgets for the neuroscience intensive care unit. Journal of Neuroscience Nursing, 38(4): 248, 2006.
9. Behrends M, Niemann CU, Larson MD: Infrared pupillometry to detect the light reflex during cardiopulmonary resuscitation: A case series. Resuscitation, 83(10): 1223-1228, 2012.
10. Bell S, Lee C, Zeeman J, Kearney M, Macko L, Cartwright C. Neurological Assessment of the Adult Hospitalized Patient. American Association of Neuroscience Nurses. 2021; https://aann.
11. Boev AN, Fountas KN, Karampelas I, Boev C, Machinis TG, Feltes C, Okosun I, Dimopoulos V, Troup C: Quantitative pupillometry: Normative data in healthy pediatric volunteers. Journal of Neurosurgery: Pediatrics, 103(6): 496-500, 2005.
12. Brasil S, Chesnut R, Robba C. Noninvasive neuromonitoring in acute brain injured patients. Intensive Care Med. 2024;50(6):960-963. doi:10.1007/s00134-024-07406-7
13. Breckwoldt J, Arntz H-R, Infrared pupillometry during cardiopulmonary resuscitation for prognostication – a new tool on the horizon? 2012.
14. Brown JT, Connelly M, Nickols C, Neville KA: Developmental changes of normal pupil size and reactivity in children. Journal of pediatric ophthalmology and strabismus, 52(3): 147-151, 2015.
15. Butt AA, Atem FD, Stutzman SE, Aiyagari V, Venkatachalam AM, Olson DM, Yokobori S: Contribution of pupillary light reflex assessment to Glasgow Coma Scale for prognostication in patients with traumatic brain injury. Journal of Neurocritical Care, March 2021.
16. Cartwright C, Battick K, Coffman J, Crespo Y, Fagan C, Szego S. Neurological Assessment of the Hospitalized Child. American Association of Neuroscience Nurses. 2023.
17. Chen JW, Gombart ZJ, Rogers S, Gardiner SK, Cecil S, Bullock RM: Pupillary reactivity as an early indicator of increased intracranial pressure: The introduction of the neurological pupil index. Surgical neurology international, 2: 82, 2011.
18. Chen JW, Vakil-Gilani K, Williamson KL, Cecil S: Infrared pupillometry, the neurological pupil index and unilateral pupillary dilation after traumatic brain injury: Implications for treatment paradigms. Springerplus, 3(1): 548, 2014.
19. Cho, et al.: Neurological Monitoring and Management for Adult Extracorporeal Membrane Oxygenation Patients: Extracorporeal Life Support Organization Consensus Guidelines. ASAIO Journal. 2024.

20. Citerio G, Taccone FS. How we use the neurological pupil index (NPi). Crit Care. 2026;30:349. doi:10.1186/s13054-026-06177-5.
21. Cortes MX, Siaron KB, Nadim HT, Ahmed KM, Romito JW: Neurological Pupil Index as an Indicator of Irreversible Cerebral Edema: A Case Series. Journal of Neuroscience Nursing, April 2021.
22. Crippa IA, Pelosi P, Quispe-Cornejo AA, Messina A, Corradi F, Taccone FS, Robba C: Automated Pupillometry as an Assessment Tool for Intracranial Hemodynamics in Septic Patients. Cells, 11(14): 2206, 2022.
23. Dowlati E, Sarpong K, Kamande S, Carroll AH, Murray J, Wiley A, Peterson B, Mai JC, Chang JJ, Aulisi EF, Armonda RA, Felbaum DR: Abnormal neurological pupil index is associated with malignant cerebral edema after mechanical thrombectomy in large vessel occlusion patients. Neurological Sciences, March 2021.
24. Du R, Meeker M, Bacchetti P, Larson MD, Holland MC, Manley GT: Evaluation of the portable infrared pupillometer. Neurosurgery, 57(1): 198-203, 2005.
25. Du, et al.: Quantitative Pupillometry Predicts Neurologic Deterioration in Patients with Large Middle Cerebral Artery Stroke. Annals of Neurology, May 2025.
26. El Ahmadieh TY, Bedros N, Stutzman SE, et al.: Automated Pupillometry as a Triage and Assessment Tool in Patients with Traumatic Brain Injury. World Neurosurgery, 145: 163-169, 2020. DOI: 10.1016/j.wneu.2020.09.152
27. Emelifeonwu JA, Reid K, Rhodes JK, Myles L: Saved by the pupillometer! – a role for pupillometry in the acute assessment of patients with traumatic brain injuries? Brain Injury, 32(5): 675-677, 2018. DOI: 10.1080/02699052.2018.1429021.
28. Filipe JAC, Falcao-Reis F, Castro-Correia J, Barros H: Assessment of autonomic function in high level athletes by pupillometry. Autonomic Neuroscience, 104(1): 66-72, 2003.
29. Fountas KN, Kapsalaki EZ, Machinis TG, Boev AN, Robinson JS, Troup EC: Clinical implications of quantitative infrared pupillometry in neurosurgical patients. Neurocritical care, 5(1): 55-60, 2006.
30. Freeman AD, McCracken CE, Stockwell JA: Automated Pupillary Measurements Inversely Correlate With Increased Intracranial Pressure in Pediatric Patients With Acute Brain Injury or Encephalopathy. Pediatric Critical Care Medicine, July, 2020.
31. Ghauri MS, Ueno A, Mohammed S, Miulli DE, Siddiqi J: Evaluating the Reliability of Neurological Pupillary Index as a Prognostic Measurement of Neurological Function in Critical Care Patients. Cureus, 14(9): e28901, 2022. DOI:10.7759/cureus.28901
32. Giamarino K, Blessing R, Boelter C, Thompson JA, Reynolds SS: Exploring the Relationship Between Objective Pupillometry Metrics and Midline Shift. Journal of Neuroscience Nursing, December, 2021.
33. Godau J, Bharad K, Rösche J, et al.: Automated Pupillometry for Assessment of Treatment Success in Nonconvulsive Status Epilepticus. *Neurocrit Care*, 36(1): 148-156, 2021. DOI:10.1007/s12028-021-01273-6
34. Godau J, Bierwirth C, Rösche J, Bösel J: Quantitative Infrared Pupillometry in Nonconvulsive Status Epilepticus. Neurocrit Care, 35(1): 113-120, 2021. DOI: 10.1007/s12028-020-01149-1
35. Gonzalez Jr H, Chen Y, Addo N, Madhok DY. Pupillometry in the Emergency Department: A Tool for Predicting Patient Disposition. Western Journal of Emergency Medicine. 2025;26(4):1078. doi:10.5811/westjem.39912
36. Hill M, Moreda M, Navarro J, Mulkey M. Assessing Patients With Altered Level of Consciousness. Crit Care Nurse. 2023;43(4):58-65. doi:10.4037/ccn2023449
37. Hirsh K, Amorim E, Coppler P, Drennan I, Elliott A, Gordon AJ et al. Post-cardiac arrest care: 2025 American Heart Association guidelines for cardiopulmonary resuscitation and emergency cardiovascular care. Circulation. 2025;152 (suppl 2):S673-S718. doi:10.1161/CIR.0000000000001375
38. Hirsch KG, Abella BS, Amorim E, et al. Critical Care Management of Patients After Cardiac Arrest: A Scientific Statement From the American Heart Association and Neurocritical Care Society. Circulation. 2024;149(2):e168-e200. doi:10.1161/CIR.0000000000001163
39. Iavarone IG, Donadello K, Cammarota G. Optimizing brain protection after cardiac arrest: advanced strategies and best practices. Interface Focus. 2024;14(6):20240025. doi:10.1098/rsfs.2024.0025.
40. Jahns F-P, Miroz JP, Messerer M, Daniel RT, Taccone FS, Eckert P, Oddo M: Quantitative pupillometry for the monitoring of intracranial hypertension in patients with severe traumatic brain injury. Critical Care, 23(1): 155, 2019.

41. Jiang J, Sari H, Goldman R, Huff E, Hanna A, Samraj R, et al. Neurological Pupil index (NPi) measurement using pupillometer and outcomes in critically ill children. Cureus. 2023; 15(10): e46480. doi:10.7759/cureus.46480
42. Jolkovsky EL, Fernandez-Penny FE, Alexis M, Benson LN, Wang BH, Abella BS: Impact of acute intoxication on quantitative pupillometry assessment in the emergency department. JACEP Open, October 2022.
43. Kerr RG, Bacon AM, Baker LL, Gehrke JS, Hahn KD, Lillegraven CL, Renner CH, Spilman SK: Underestimation of pupil size by critical care and neurosurgical nurses. American Journal of Critical Care, 25(3): 213-219, 2016. DOI: 10.4037/ajcc2016554.
44. Kiani I, Parsaei M, Karimi H, Beikmarzehei A, Sarabi SF, Pezhdam P et al. Prognostic role of quantitative pupillometry in traumatic brain injury: a scoping review. Neurological Sciences. 2025;46(3):1169-1177. doi:10.1007/s10072-024-07869-y
45. Kim DW, Jo YH, Park SM, Lee DK, Jang D-H. Neurological pupil index during cardiopulmonary resuscitation is associated with admission to ICU in non-traumatic out-of-hospital cardiac arrest patients. Signa Vitae, 2022. DOI:10.22514/sv.2022.038.
46. Kim TJ, Park SH, Jeong HB, et al.: Neurological Pupil Index as an Indicator of Neurological Worsening in Large Hemispheric Strokes. Neurocrit Care, 33(2): 575-581, 2020. DOI: 10.1007/s12028-020-00936-0
47. Kim TJ, Ko S-B: Implication of neurological pupil index for monitoring of brain edema. Acute and Critical Care, 33(1): 57-60, 2018.
48. Larson MD: Mechanism of opioid-induced pupillary effects. Clinical Neurophysiology, 119(6): 1358-1364, 2008.
49. Larson MD, Muhiudeen I: Pupillometric analysis of the 'absent light reflex'. Archives of Neurology, 52(4): 369-372, 1995.
50. Lee H, Choi SH, Park B, Hong YH, Lee HB, Jeon SB: Quantitative assessments of pupillary light reflexes in hospital-onset unresponsiveness. BMC Neurology, June 2021.
51. Lee S, Jung DE, Park D, et al. Intraoperative neurological pupil index and postoperative delirium and neurologic adverse events after cardiac surgery: an observational study. Sci Rep. 2023;13(1):13838. Published 2023 Aug 24. doi:10.1038/s41598-023-41151-z
52. Lele AV, Wahlster S, Khadka S, et al. Neurological Pupillary Index and Disposition at Hospital Discharge following ICU Admission for Acute Brain Injury. J Clin Med. 2023;12(11):3806. Published 2023 Jun 1. doi:10.3390/jcm12113806
53. Lussier BL, Olson DM, Aiyagari V. Automated pupillometry in neurocritical care: Research and practice. Curr Neurol Neurosci Rep. 08 2019;19(10):71. doi:10.1007/s11910-019-0994-z.
54. Lussier BL, Stutzman SE, Atem F, Venkatachalam AM, Perera AC, Barnes A, Aiyagari V, Olson DM: Distributions and reference ranges for automated pupillometer values in neurocritical care patients. Journal of Neuroscience Nursing, December 2019, Volume 51, Issue 6, p 335–340. DOI: 10.1097/JNN.0000000000000478.
55. Manley GT, Larson MD: Infrared pupillometry during uncal herniation. Journal of neurosurgical anesthesiology, 14(3): 223-228, 2002.
56. Marshall M, Deo R, Childs C, Ali A: Feasibility and variability of automated pupillometry among stroke patients and healthy participants: Potential implications for clinical practice. Journal of Neuroscience Nursing, 51(2): 84-88, 2019.
57. Martinez-Palacios K, Vasquez-Garcia S, Fariyike OA, Robba C, Rubiano AM. Quantitative pupillometry for intracranial pressure (ICP) monitoring in traumatic brain injury: a scoping review. Neurocritical Care. 2024;41:255-271. doi.org/10.1007/s12028-023-01927-7.
58. Mazhar K, Olson DM, Atem FD, et al.: Supratentorial intracerebral hemorrhage volume and other CT variables predict the neurological pupil index. Clinical Neurology and Neurosurgery, 200: 106410, 2021. DOI: 10.1016/j.clineuro.2020.106410
59. McGetrick M, Olson DM, Vashisht A, McCreary M, Kim R, Sinn C, Miles D. The association between neurologic pupillary index (NPi) and functional outcomes in critically ill children. BMC Pediatrics. 2025;25:989. doi:10.1186/s12887-025-06321-0

60. McGetrick M, Diaz N, Li X, Terrill T, Powers K, Said R, Sirsi D, Raman L, Miles D. Automated pupillometry for the prediction of neurologic outcomes in children requiring extracorporeal membrane oxygenation (ECMO). Eur J Pediatr. 2026;185:481. doi:10.1007/s00431-026-07100-4.
61. McGetrick ME, Schneider N, Olson DM, Aiyagari V, Miles D: Automated Infrared Pupillometer Use in Assessing the Neurological Status in Pediatric Neurocritical Care Patients: Case Reports and Literature Review. Journal of Child Science, June 2021.
62. McKay RE, Larson MD: Detection of opioid effect with pupillometry. Autonomic Neuroscience, August 2021.
63. McNett M, Moran C, Grimm D, Gianakis A: Pupillometry trends in the setting of increased intracranial pressure. Journal of Neuroscience Nursing, 50(6): 357-361, 2018.
64. McNett M, Moran C, Janki C, Gianakis A: Correlations between hourly pupillometer readings and intracranial pressure values. Journal of Neuroscience Nursing, 49(4): 229-234, 2017. DOI: 10.1097/JNN.0000000000000290.
65. Meeker M, Du R, Bacchetti P, Privitera CM, Larson MD, Holland MC, Manley G: Pupil examination: Validity and clinical utility of an automated pupillometer. J Neurosci Nurs, 37(1): 34-40, 2005.
66. Miroz JP, Ben-Hamouda N, Bernini A, Romagnosi F, Bongiovanni F, Roumy A, Kirsch M, Liaudet L, Eckert P, Oddo M: Neurological Pupil index for Early Prognostication After Venoarterial Extracorporeal Membrane Oxygenation. Chest Journal, February, 2020.
67. Mones A, Ventre M, Tratin I, Cosmali S, Lopane D, Cattani D, Chiari C, Mancin S, Mazzoleni B. Neuromonitoring Techniques in ECMO: A Critical Analysis and Implications for Nursing Practice. Crit Care Nurs Q. 2025/2026;49(1):4-13. doi:10.1097/CNQ.0000000000000589.
68. Murillo R, Crucilla C, Schmittner J, Hotchkiss E, Pickworth W: Pupillometry in the detection of concomitant drug use in opioid-maintained patients. Methods Find Exp Clin Pharmacol, 26(4): 271-275, 2004.
69. Neerukonda SV, Schneider NJ, Aiyagari V, Olson DM: Automated Pupillometry Value Differences Serve as a Prognostic Indicator Even When They are Within Normal Range. The Journal of Neurological and Neurosurgical Nursing, December, 2021.
70. Nolan J, Sandroni C, Cariou A, Cronberg T, D'Arrigo S, Haywood K et al. European Resuscitation Council and European Society of Intensive Care Medicine guidelines 2025: post-resuscitation care. Intensive Care Medicine. 2025;51:2213-2288. doi:10.1007/s00134-025-08117-3
71. Nolan JP, et al.: European Resuscitation Council and European Society of Intensive Care Medicine Guidelines 2021: Post-resuscitation care. Journal of Intensive Care Medicine and Resuscitation, 2021
72. Nyholm, B., Grand, J., Obling, L.E.R. et al. Validating quantitative pupillometry thresholds for neuroprognostication after out-of-hospital cardiac arrest. A predefined substudy of the Blood Pressure and Oxygenations Targets After Cardiac Arrest (BOX)-trial. Intensive Care Med 50, 1484–1495 (2024). https://doi.org/10.1007/s00134-024-07574-6
73. Nyholm B, Obling L, Hassager C, Grand J, Møller J, Othman M, Kondziella D, Kjaergaard J. Superior reproducibility and repeatability in automated quantitative pupillometry compared to standard manual assessment, and quantitative pupillary response parameters present high reliability in critically ill cardiac patients. PLoS ONE 17(7): e0272303, 2022. https://doi.org/10.1371/journal.pone.0272303
74. Obling L, Hassager C, Illum C, et al. Prognostic value of automated pupillometry: an unselected cohort from a cardiac intensive care unit. Eur Heart J Acute Cardiovasc Care. 2020;9(7):779-787. doi:10.1177/2048872619842004
75. Oddo M, Taccone FS, Petrosino M, Badenes R, Blandino-Ortiz A, Bouzat P, Caricato A, et al.: The Neurological Pupil Index for Outcome Prognostication in People with Acute Brain Injury (ORANGE): A Prospective, Observational, Multicentre Cohort Study. The Lancet Neurology 0, no. 0 (August 28, 2023). https://doi.org/10.1016/S1474-4422(23)00271-5.
76. Oddo M, et al.: Quantitative versus standard pupillary light reflex for early prognostication in comatose cardiac arrest patients: An international prospective multicenter double-blinded study. Intensive Care Medicine, 44(12): 2102-2111, 2018. DOI: 10.1007/s00134-018-5448-6.

77. Olson DM, Fishel M: The use of automated pupillometry in critical care. Critical Care Nursing Clinics, 28(1): 101-107, 2016. DOI: 10.1016/j.cnc.2015.09.003.
78. Olson DM, Stutzman S, Saju C, Wilson M, Zhao W, Aiyagari V: Interrater reliability of pupillary assessments. Neurocritical care, 24(2): 251-257, 2016. DOI: 10.1007/s12028-015-0182-1.
79. Olson DM, Stutzman SE, Atem F, Kincaide JD, Ho T-T, Carlisle BA, Aiyagari V: Establishing normative data for pupillometer assessment in neuroscience intensive care: The "end-panic" registry. Journal of Neuroscience Nursing, 49(4): 251-254, 2017. DOI: 10.1097/JNN.0000000000000296.
80. Ong C, Hutch M, Barra M, Kim A, Zafar S, Smirnakis S: Effects of osmotic therapy on pupil reactivity: Quantification using pupillometry in critically ill neurologic patients. Neurocritical care, 30(2): 307-315, 2019.
81. Osman M, Stutzman SE, Atem F, Olson D, Hicks AD, Ortega-Perez S, Aoun SG, Salem A, Aiyagari V: Correlation of objective pupillometry to midline shift in acute stroke patients. Journal of Stroke and Cerebrovascular Diseases, 2019.
82. Pansell J, Hack R, Rudberg P, Bell M, Cooray C. Can quantitative pupillometry be used to screen for elevated intracranial pressure: A retrospective cohort study. Neurocrit Care. 2022;37(2):531-537. doi:10.1007/s12028-022-01518-y
83. Papangelou A, Zink EK, Chang W-TW, Frattalone A, Gergen D, Gottschalk A, Geocadin RG: Automated pupillometry and detection of clinical transtentorial brain herniation: A case series. Military medicine, 183(1-2): e113-e121, 2018. DOI: 10.1093/milmed/usx018.
84. Park DS, Kim DK, Park SM, Kim S, Lee DK, Jo YH et al. Association between the Neurological Pupil index and the cause of altered level of consciousness in the emergency department: a cross-sectional observational study. Signa Vitae. 2024;20(12):99. doi:10.22514/SV.2024.161
85. Park C, Park SY, Kim M, Park B, Hong JM (2025) Automated quantitative pupillometry as a predictor for transtentorial brain herniation in patients with malignant acute ischemic stroke. PLoS ONE 20(1): e0316358. https://doi.org/10.1371/journal.pone.0316358
86. Plante V, Basu M, Gettings J et al. Update in pediatric neurocritical care: what a neurologist caring for critically ill children needs to know. Seminars in Neurology. 2024;44(03):362-388. doi:10.1055/s-0044-1787047.
87. Primiani CT, Husari KS, Mathur R, & Geocadin RG. Fixed and dilated pupils by pupillometer in lateralized periodic discharges: a case report in the neurocritical care unit. J Neurocrit Care. 2022;15(2):136-140. doi:10.18700/jnc.220066.
88. Privitera CM, Neerukonda SV, Aiyagari V, Yokobori S, Puccio AM, Schneider NJ, Stutzman SE, Olson DM, END PANIC Investigators: A differential of the left eye and right eye neurological pupil index is associated with discharge modified Rankin scores in neurologically injured patients. BMC Neurology, July 2022.
89. Rajajee V, et al.: Neurocritical Care Society Guidelines – Guidelines for Neuroprognostication in Comatose Adult Survivors of Cardiac Arrest. Neurocritical Care, March 2023
90. Rana C, Moreno JH, Marshall JL, Olson DM, Aiyagari V. Neuroradiological correlates of abnormal pupillary light reflex findings among patients in the Neuroscience Intensive Care Unit. Journal of Neuroscience Nursing. 2025;57(2):83-87. doi:10.1097/JNN.0000000000000818
91. Riker R, Sawyer M, Fischman V, May T, Lord C, Eldridge A, Seder D: Neurological pupil index and pupillary light reflex by pupillometry predict outcome early after cardiac arrest. Neurocritical Care, 2019.
92. Robba C, Zanier ER, Lopez Soto C, et al. Mastering the brain in critical conditions: an update. Intensive Care Med Exp. 2024;12(1):1. Published 2024 Jan 5. doi:10.1186/s40635-023-00587-3
93. Robba C, Picetti E, Vásquez-García S, et al. The Brussels consensus for non-invasive ICP monitoring when invasive systems are not available in the care of TBI patients (the B-ICONIC consensus, recommendations, and management algorithm). Intensive Care Med. 2025;51:4-20. doi:10.1007/s00134-024-07756-2
94. Rollins MD, Feiner JR, Lee JM, Shah S, Larson M: Pupillary effects of high-dose opioid quantified with infrared pupillometry. Anesthesiology: The Journal of the American Society of Anesthesiologists, 121(5): 1037-1044, 2014.

95. Romagnosi F, Bernini A, Bongiovanni F, Iaquaniello C, Miroz JP, Citerio G, Taccone FS, Oddo M: Neurological Pupil Index for the Early Prediction of Outcome in Severe Acute Brain Injury Patients. Brain Sciences, May 2022.
96. Saju C, Barnes A, Kuramatsu JB, et al. Describing Anisocoria in Neurocritically Ill Patients. Am J Crit Care. 2023;32(6):402-409. doi:10.4037/ajcc2023558
97. Shoyombo I, Aiyagari V, Stutzman SE, Atem F, Hill M, Figueroa SA, Miller C, Howard A, Olson DM: Understanding the relationship between the neurologic pupil index and constriction velocity values. Scientific Reports, 8(1): 6992, 2018.
98. Siaron K, Otieno L, Riskey LM, Houston S, Olson DM, Nairon EB. Quantitative Pupillometry Obtained During Cardiac Arrest: A Case Report. Crit Care Nurse. 2026;46(3):11-15. doi:10.4037/ccn2026662.
99. Silver MR, Liu H, Tomlinson AZ, Lacoul A, Graham K, Morgan RW, et al. Neurological Pupil Index and Outcome After Cardiac Arrest in Children: Single-Center, Retrospective Cohort, 2018-2023. Pediatr Crit Care Med. 2026. doi:10.1097/PCC.0000000000004015.
100. Stout D, Dullaway J, McMahan H, Daniel BA, Olson DM: Reflections on Patient Care Technicians Obtaining Pupillometer Readings in a Neuroscience Intensive Care Unit. Journal of Neuroscience Nursing, December 202
101. Stutzman S, Plype P, Marshall J, Speir K, Schneider N, Tran C, Laird S, Aiyagari V, Olson D: Inter-device reliability of the NPi-200 and NPi-300 pupillometers. Journal of Clinical Neuroscience, April, 2022.
102. Stutzman, S., Olson, D., Venkatachalam, A., Barnes, A., Atem, F. The Presence of Cataract Does Not Influence Assessment of The Pupillary Light Reflex Using Automated Pupillometry. Journal of Health and Caring Sciences, 3(2), 85-95, 2021.
103. Tokuda Y, Nakazato N, Stein G: Pupillary evaluation for differential diagnosis of coma. Postgraduate medical journal, 79(927): 49-51, 2003.
104. Traylor JI, et al.: Quantitative pupillometry in patients with traumatic brain injury and loss of consciousness: A prospective pilot study. Journal of Clinical Neuroscience, June, 2021.
105. Trent T, Vashisht A, Novakovic S, Kanter G, Nairon E, Lark A, Tucker A, Reddy V, McCreary M, Stutzman SE, Olson DM. Pupillary light reflex measured with quantitative pupillometry has low sensitivity and high specificity for predicting neuroworsening after traumatic brain injury. J Am Assoc Nurse Pract. 2023 Feb 1;35(2):130-134. doi: 10.1097/JXX.0000000000000822.
106. Veerapaneni D, Arunachalam SN, Du Y, Mallinger LA, Gilmore E, Greer D, Ong, C et al. Early pupil abnormality frequency predicts poor outcomes and enhances International Mission for Prognosis and Analysis of Clinical Trials in Traumatic Brain Injury (IMPACT) model prognostication in traumatic brain injury. Critical Care Explorations. 2025;7(5):p e1257. doi: 10.1097/CCE.0000000000001257
107. Viarasilpa T. Managing intracranial pressure crisis. Current Neurology and Neuroscience Reports. 2025;25(12). doi:10.1007/s11910-024-01392-5
108. Witting MD: Validity of simple measurement to diagnose pupillary dilation. The American journal of emergency medicine, 23(2): 155-158, 2005.
109. Witting MD, Goyal D: Interrater reliability in pupillary measurement. Annals of emergency medicine, 41(6): 832-837, 2003.
110. Zafar SF, Suarez JI: Automated pupillometer for monitoring the critically ill patient: A critical appraisal. Journal of critical care, 29(4): 599-603, 2014.
111. Zerbi SM, Martorana SM, Rana S, Locoselli F, Ferrari F. Persistence of NPi differential predicts outcome at intensive care unit discharge: a single-center retrospective analysis. Journal of Anesthesia, Analgesia and Critical Care Jan 2026.
112. Zhao W, Stutzman S, DaiWai O, Saju C, Wilson M, Aiyagari V: Inter-device reliability of the npi-100 pupillometer. Journal of Clinical Neuroscience, 33: 79-82, 2016.